ROUND FEEDERS & FEED CUPS



Model 209 9-Hole Galvanized Round Feeder. 1" (2.54 cm) deep. Easy to fill. Top snaps on snugly. Ideal for starting small birds. 28 gauge.

Model MJ9 Galvanized Mason Jar Feeder. Just add a one (1) quart small mouth mason jar (not included) to 28 gauge galvanized steel round feeder base. Easy to fill. Great for small birds and chicks.

Model 1QF Plastic Super-Start™ Feeder. Bright color attracts foul. Lightweight and strong, will not rust or dent, resists sun deterioration. "See through" jug to monitor feed level. Guard reduces feed waste. Individual sections in trough promote harmony. Low profile in base maintains correct feed level. Dome in base center prevents feed bridging. Nests for easy storage.

Models CUPK and CUPQ Feed Cups have tabs for attachment to wire on brooders, cages, batteries and other crates. Cut tabs to fit any cage. Use for small animals as well as poultry. Polyethylene construction is boil and freeze resistant. Can also be used for water. (See page 10).

ROUND FEEDER SPECIFICATIONS								
Model No.	Description	Approx. Feed Capacity	Approx. Bird Capacity	Overall Size	S Pack	/t. (kg)		
209	8-Hole Galvanized Round Feeder	.5 lbs. (.2 kg)	15 Chicks	7" Dia. (17.8 cm)	36	12	(5.5)	
MJ9	Hanging Feeder	1.5 lbs. (.7 kg)	15 Chicks	7" Dia. (17.8 cm)	36	15	(6.9)	
1QF	Hanging Feeder Cover	1.5 lbs. (.7 kg)	15 Chicks	7" Dia. (17.8 cm)	36	10	(4.6)	

FEED CUP SPECIFICATIONS Approx. Feed Approx. Bird Model Overall Shipping Wt. No. Description Capacity Capacity Size Pack Lbs. (kg) **CUPK** Plastic Coop Cup 1 Pint 15 Chicks 3 1/2" W x 4 1/2" L x 2 1/4" H 36 6 (2.7)(8.9) x (11.4) x (5.7) **CUPQ** Plastic Coop Cup 15 Chicks 3 3/4" W x 8" L x 2 1/4" H 12 1 Quart (1.8)

(9.5) x (20.3) x (5.7)

Plastic Super-StartTM Feeder

REEL, FLIP TOP & SLIDE TOP FEEDERS

Model RT20 Reel Top Plastic Feeder. The perfect size 20" (51 cm) - or snap two together for a 40" (102 cm) long feeder. Great for chicks and for starting turkey poults. Bright color attracts birds. Durable plastic design will not rust, dent or deteriorate in sunlight. Smooth spinning reel prevents birds from roosting over feed. Troughs nest for convenient storage. Trough is 1 3/8" (3.5 cm) high.







Model FT220 Flip Top Plastic Feeder. Bright color attracts chicks. Lightweight and strong, will not rust or dent, resists sun deterioration. Easy-open snap locks for quick filling or cleaning. Top opens and shuts thousands of times with no failure. Trough is 1 3/8" (3.5 cm) high.

Model S212, S218, S224 Slide-Top Feeders: Galvanized steel throughout...great for feed or water. Top slides off trough for easy cleaning or filling. Trough is 1 3/4" (4.4 cm) high.





Models 18J, and 24J Jiffy-Reel Feeders. Economical, made of 28 gauge galvanized steel. These feeders are designed for day-old to 6-week old chicks. Trough is 2" (5.1 cm) high.

Models 336R Deluxe Reel Feeder. Made of rust resistant 28 gauge galvanized steel with welded ends for extra strength. 1/2" (1.3 cm) flange along trough keeps birds from billing out feed. No bolts or nuts. Legs are wide to prevent tipping and removable so feeder can be set on the floor for day-old chicks. Adjustable sturdy 4 blade X-reel has turned edges to protect birds while preventing roosting. Legs are adjustable for a trough height of 3" (7.6 cm) to 4" (10 cm).



REEL, FLIP TOP & SLIDE TOP FEEDER SPECIFICATIONS

Model		Approx. Feed	Approx. Bird	Overall Size Inches (cm)			Shipping Wt./Pack		
No.	Description	Capacity	Capacity	W	L	H `	Pack	Lbs.	(kg)
RT20	Reel Top Plastic Feeder	1.5 lbs. (.7 kg)	20	3 3/4 (9.5)	20 (50.8)	2 1/2 (6.4)	36	16	(7.3)
FT220	Flip Top Plastic Feeder	1.7 lbs. (.7 kg)	20	4 (10.2)	20 (50.8)	3 (7.6)	36	15	(6.8)
S212	12" Slide Top Feeder (14 hole)	.7 lbs. (.3 kg)	14	4 1/4 (10.8)	12 (30.5)	3 (7.6)	12	9	(4.1)
S218	18" Slide Top Feeder (22 hole)	1.0 lbs. (.5 kg)	20	4 1/4 (10.8)	18 (45.7)	3 (7.6)	12	13	(5.9)
S224	24" Slide Top Feeder (28 hole)	1.5 lbs. (.7 kg)	25	4 1/4 (10.8)	24 (61.0)	3 (7.6)	12	15	(6.9)
18J	Jiffy-Reel Feeder	1.5 lbs. (.7 kg)	10	3 3/4 (9.5)	18 (45.7)	3 1/2 (8.9)	12	9	(4.1)
24J	Jiffy-Reel Feeder	2.0 lbs. (.9 kg)	14	3 3/4 (9.5)	24 (61.0)	3 1/2 (8.9)	12	11	(5.0)
336R	Deluxe Reel Feeder	3.8 lbs. (1.7 kg)	75	4 1/2 (11.4)	36 (91.4)	7 (17.8)	4	14	(6.4)

NEW MILLENNIUM HANGING FEEDERS

Our 15 pound (6.8 kg) and 30 pound (13.6 kg) feeders have been the world's most popular hanging feeders. Newly introduced is cross linked polyethylene construction which offers a lot of advantages compared with galvanized steel...and our clean, simple designs afford our customers a better value than competing poly feeders.


Model HF30 Hanging Feeder

Big 30 lb. (13.6 kg) capacity for birds of all ages; tapered body assures good feed flow. Depth of pan 3" (7.6 cm).

Model HF30

Features our exclusive wire snap adjustment. Three positive adjustment settings permit a feed opening of 3/8" (.95 cm), 3/4" (1.91 cm) or 1 3/8" (3.49 cm). Easy to change. Ruggedness proven with over 40 years in use.

Our feeders will not rust. We use ultraviolet inhibitors. Because of our superior construction, both these feeders come with a 3-year unconditional warranty.



HEAVILY REINFORCED AT THE PRESSURE POINTS:

Handle Attachment

Adjustment Slots


Pan Attachment



Designed for baby chicks to 6 weeks old; ideal for quail and other smaller fowl; tapered body prevents feed bridging. Non-adjustable feed flow. Depth of pan 1 7/8" (4.8 cm).



Keeps birds out of either Model HF15 or HF30 feeders. 13/16" (2.1 cm) center permits S hook to attach to feeder handle.



FULLY TESTED

Before introducing our poly pans and tubes and as a part of our testing process, both feeders were filled with sand. Both feeders were suspended for four weeks. No observations at all of any distortions, stress fractures, rivets, loosening, etc., were observed. In addition, we placed both feeders in the hands of knowledgeable producers and received excellent feedback.

POLY HANGING FEEDER SPECIFICATIONS

Model		Approx. Feed	Approx. Bird	Overall	Shipping Wt.			
No.	Description	Capacity	Capacity	Size	Pack ²	Lbs.	(kg)	
HF15	Hanging Feeder	15 lbs. (6.8 kg)	100 Chicks	12" Dia x 11 1/2" H (30.5 cm) x (29.2 cm)	6	12	(5.5)	
HF30	Hanging Feeder	30 lbs. (13.6 kg)	30-50 Hens	16 1/2" Dia. x 14 5/8" H (41.9 cm) x (37.1 cm)	6	23	(10.5)	
C6P	Hanging Feeder Cov	er		10 7/8" Dia. (27.6 cm)	12	4.0	(1.8)	

GALVANIZED STEEL FEEDERS

Bright Spangle, Premium Steel • Competitive Pricing



Model GLV30H 30 lb. capacity for birds of all ages.



Model GLV15H 15 lb. capacity for baby chicks to 6 weeks old. Ideal for quail & smaller birds

 Inside rolled rim of pan keeps birds from billing out of the pan.

Grills hinged to open for

- Tapered body prevents feed bridging.
- Three positive adjustment settings from 3/4" to 2".

GALVANIZED HANGING FEEDER SPECIFICATIONS

Model No.	Description	Approx. Feed Capacity Lbs. (kg)	Approx. Bird Capacity	Overall Size Inches (cm) Diameter H	` ,		ing Wt. (kg)
GLV15H	Hanging Feeder	15 (6.8)	100 Chicks	11 1/2 (29.2) 10 (25.4)	6	15	(6.8)
GLV30H	Hanging Feeder	30 (13.6)	30-50 Hens	14 (35.6) 15 (38.1)	6	27	(12.3)

*Pan height on both feeders is 2" (.8 cm)

POLY POULTRY TROUGH FEEDERS

Time Saving Design - Easy to Fill • Easy to Clean



- Sidewalls taper in to reduce feed being billed out.
- Reel feeders with 1" PVC reels prevent roosting birds.
- UV Inhibited Poly.





POLY POULTRY TROUGH FEEDER SPECIFICATIONS

Model		Approx. Feed Capacity Lbs. (kg)	Approx. Bird Capacity	Overall Size Inches (cm)			Pack Shipping Wt.		
No.	Description			W	L	` H	Pack	Lbs.	(kg)
FG420	Feeder With Grill, 4" x 20"	3 (1.4 kg)	20 Chicks	4 (10.2)	20 (50.8)	6 (15.2)	1	1.5	(.68)
FG440	Feeder With Grill, 4" x 40"	6 (2.8 kg)	40 Chicks	4 (10.2)	40 (101.6)	6 (15.2)	1	2.5	(1.1)
FG930	Feeder With Grill, 9" x 30"	12 (5.5 kg)	60 Broilers	9 (22.9)	30 (76.2)	8 (20.3)	1	4.0	(1.8)
PPF48	Feeder With Reel, 9" x 48"	20 (9.1 kg)	90 Broilers	9 (22.9)	48 (121.9)	8 (20.3)	1	8.0	(3.6)
PPF60	Feeder With Reel, 9" x 60"	25 (11.4 kg)	120 Broilers	9 (22.9)	60 (152.4)	8 (20.3)	1	9.0	(4.1)

*All models shippable via ground package. For broilers, estimate 3" (7.6 cm) trough space per bird with enough space to accommodate 1/3 of the flock at a time.